

[Web](#) [Images](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more](#) ▼

[Sign in](#)



first second transmission lines terminals servers

[Search](#)

[Advanced Search](#)  
[Preferences](#)



Web

Results 1 - 10 of about 2,230,000 for [first second transmission lines terminals servers](#). (0.31 seconds)

# 1. [Digi Terminal Servers](#)

Sponsored Link

[www.digi.com](#) Cost effective serial **servers** with 4 or more RS232/422/485 ports

## 1. [Data processing system with data \*\*transmission\*\* failure recovery ...](#)

and **second POS terminals** 3 in the present embodiment. Each of **first POS terminals** 2 is set to access **first file server** 6 via **transmission line** 4 ...

[www.patentstorm.us/patents/5343477/description.html](#) - [Similar pages](#)

## 2. [Redundant ethernet \*\*transmission line\*\* system - US Patent 7161900](#)

Thus **terminal** 6 can access dick unit 4 through **server** system 2 functioning .... As a **second** aspect of the **transmission line** switchover method for a client ...

[www.patentstorm.us/patents/7161900/description.html](#) - [Similar pages](#)

[More results from www.patentstorm.us >](#)

## 3. [Redundant ethernet \*\*transmission line\*\* system - Patent 7161900](#)

The system includes Ethernet **transmission lines** having redundant configuration, **first** and **second transmission** equipment being connected through the Ethernet ...

[www.freepatentsonline.com/7161900.html](#) - [Similar pages](#)

by T Tanada - 2007 - [Related articles](#) - [All 4 versions](#)

## 4. [Data processing system with data \*\*transmission\*\* failure recovery ...](#)

Each POS **terminal** is connected to two **transmission lines**. A **first file server** is connected to one of the **transmission lines**. A **second file server** having ...

[www.freepatentsonline.com/5343477.html](#) - [Similar pages](#)

by SC Elmore - 1994 - [Cited by 28](#) - [Related articles](#)

[More results from www.freepatentsonline.com >](#)

## 5. [Wave \*\*transmission lines\*\* and networks inventions -](#)

The microstructures find use, for example, in coaxial **transmission lines** for ... The waveguide includes **first**, **second** and third channels with the received ...

[www.freshpatents.com/Wave-transmission-lines-and-networks-dtnewntc333.php](#) -

36k - [Cached](#) - [Similar pages](#)

## 6. [EP475630 Hewlett european software patent - Software ...](#)

If for example the load 105 placed on the **first** end (A) of the **line transmission** via

**terminals** 143-146 does not provide a ground on the ground plane ...  
[gauss.lfil.org/PaentView/EP475630](#) - 43k - [Cached](#) - [Similar pages](#)

## 7. [\(WO/2005/009061\) METHOD FOR PROVIDING GLOBAL SHORT MESSAGE SERVICE](#)

However, since cooperation to secure **transmission lines** among countries and ....  
The B country **first** and **second** mobile telecommunication **servers** 160 and 161 ...  
[www.wipo.int/pctdb/en/wo.jsp?IA=WO2005009061&DISPLAY=DESC](#) - 42k  
- [Cached](#) - [Similar pages](#)

## 8. [RS232 terminal, serial port terminal, udp terminal, tcp/ip client ...](#)

You can test it if you run 2x Hercules SETUP as the TCP client in **first** window and  
TCP **server** in **second** window. Client authorization ...  
[www.hw-group.com/productis/hercules/index\\_en.html](#) - 57k - [Cached](#) - [Similar pages](#)

## 9. [RFC 596 \(rfc596\) - Second thoughts on Telnet Go-Ahead](#)

The **server** Telnet passes the contents of the **first** message to the appropriate  
process, which reads the partial text **line** and immediately blocks for further ...  
[www.faqs.org/rfcs/rfc596.html](#) - 16k - [Cached](#) - [Similar pages](#)

## 10. [Universal transmission line protection intelligent electronic ...](#)

two and three **terminal lines**, mutually coupled **lines**, **transmission** .... The **first** timer  
is. used to route a trip to a **second** trip circuit of the same ...  
[ieeexplore.ieee.org/iel5/7665/20942/00971323.pdf?arnumber=971323](#) - [Similar pages](#)  
by AP Apostolov - 2001 - [Cited by 2](#) - [Related articles](#)

Google  [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

---

first second transmission lines terminals servers

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#) | [Try Google Experimental](#)

---

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [Privacy](#) - [About Google](#)

[Web](#) [Images](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more](#) ▼



[Sign in](#)

first second transmission lines terminals servers

[Search](#)

[Advanced Search](#)  
[Preferences](#)



[Web Books](#)

Results 11 - 20 of about 2,230,000 for **first second transmission lines terminals servers**. (0.20 seconds)

# 1. [Microsoft Windows NT Server 4.0, Terminal Server Edition: An ...](#)

First, the client consumes a Windows NT **Server** Client access license. **Second**, a Windows NT desktop license is verified on the machine that is connecting and ...

msdn.microsoft.com/en-us/library/ms811522.aspx - 44k - [Cached](#) - [Similar pages](#)

# 2. [\[PDF\] Comments to the U.S.-Canada Power System Outage Task Force ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

reliability characteristics **first**, of the EMS at FE, **second** of any other .... the detailed, **transmission line** by **transmission line** chronology and causal ...

www.gridstat.net/publications/GridStat-EECS-GS-004.pdf - [Similar pages](#)

by C Hauser - [Cited by 3](#) - [Related articles](#) - [All 2 versions](#)

# 3. [Terminal Server and Citrix MetaFrame Network Performance ...](#)

This is the **second** part of my comprehensive guide to troubleshooting network performance issues in **Terminal Server** and Citrix MetaFrame environments. ...

www.brianmadden.com/.../Terminal-Server-and-Citrix-MetaFrame-Network-

Performance-Troubleshooting-Part-2-of-2 - 116k - [Cached](#) - [Similar pages](#)

4.

# The Telecommunications Illustrated Dictionary, Second Edition - Google Books Result

by Julie K Petersen, Julie Petersen K Petersen - 2002 - Computers - 1058 pages

A digital connecting device, usually for linking a **transmission line** and a router. Some units combine a digital modem, router, and **terminal server**, ...

books.google.com/books?isbn=084931173X...

# 5. [Ftp-WG: Re: MLST draft - NUL CR LF again: msg#00012](#)

When a **Server** Telnet receives the Telnet end-of-line sequence CR LF as input from a remote **terminal**, the effect MUST be the same as if the user had pressed ...

osdir.com/ml/ietf.ftpext/2002-04/msg00012.html - 21k - [Cached](#) - [Similar pages](#)

# 6. [wireless lan, wan, kvm glossary, definition, information, uk](#)

ADSL - A telephone **line** with uneven **transmission** rates; half the **transmission** ....

**Terminal Server** - A communications processor that connects one or more ...

www.ait-pg.co.uk/glossary-of-terms.html - 36k - [Cached](#) - [Similar pages](#)

# 7. [EP176646 lbm european software patent - Line interface. - Gauss](#)

This invention relates to a **line** interface circuit for a **transmission** system .... amplifier having a **first** and **second** input and **first** and **second** outputs; ...

[gauss.fhli.org/PatentView/EP176646](http://gauss.fhli.org/PatentView/EP176646) - 33k - [Cached](#) - [Similar pages](#)

## 8. [AK-Systems Thin Client Review](#)

A **terminal** is connected to a **server** via a local Ethernet through a modem or serial **transmission lines**. Such **server** contains a multitask and multiuser OS, ...  
[www.digit-life.com/articles2/ak-winterm-gp/index.html](http://www.digit-life.com/articles2/ak-winterm-gp/index.html) - 62k - [Cached](#) - [Similar pages](#)

## 9. [Definitions Verizon Online DSL FAQ - dsireports.com](#)

bps - Bits Per **Second** - A measurement of **transmission speed** .... **terminal server** and router and sometimes one or more hosts, but no network information ...  
[www.dsireports.com/faq/1313](http://www.dsireports.com/faq/1313) - [Similar pages](#)

## 10. [LinuxPlanet - Tutorials - New HOWTO: Modem-HOWTO - 20-25 ...](#)

If a **terminal** (or PC emulating one) is connected directly to a modem, the modem at the other end of the **line** could be connected to a **terminal server**. ...  
[linuxplanet.com/linuxplanet/tutorials/3206/21/](http://linuxplanet.com/linuxplanet/tutorials/3206/21/) - 63k - [Cached](#) - [Similar pages](#)

◀ Google ▶  
[Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [Next](#)

---

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Try Google Experimental](#)

---

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [Privacy](#) - [About Google](#)

[Web](#) [Images](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more](#) ▼



[Sign in](#)

first second transmission lines terminals servers received counter

[Search](#)

[Advanced Search](#)  
[Preferences](#)



Web

Results 1 - 10 of about 119,000 for **first second transmission lines terminals servers received counter**. (0.46 seconds)

#### 1. [Data processing system with data transmission failure recovery ...](#)

**second terminals** connected to the **first** and **second transmission lines**. .... server

7 updates its own PLU **counter** according to the **received** update ...

[www.patentstorm.us/patents/5343477/description.html](http://www.patentstorm.us/patents/5343477/description.html) - [Similar pages](#)

#### 2. [System for displaying two independent images \*\*received\*\* from network ...](#)

on the communication **line** means for causing the **terminal** to **receive** the **first** image

using the **first** TCP/IP link means for establishing a **second** TCP/IP link ...

[www.patentstorm.us/patents/6639608/claims.html](http://www.patentstorm.us/patents/6639608/claims.html) - [Similar pages](#)

[More results from www.patentstorm.us »](#)

#### 3. [Data processing system with data transmission failure recovery ...](#)

Upon receiving price data via **transmission line** 5, **first** POS **terminal** 2 transmits a

command indicating update of the PLU **counter** to **second** file server 7 via ...

[www.freepatentsonline.com/5343477.html](http://www.freepatentsonline.com/5343477.html) - [Similar pages](#)

by SC Elmore - 1994 - [Cited by 22](#) - [Related articles](#)

#### 4. [Terminal server architecture - Patent 5151895](#)

A **terminal server** architecture includes a central processing unit (CPU), ... (2) the LAN

**transmission** and **receive** engine **second**; (3) the serial **line** FIFOs ...

[www.freepatentsonline.com/5151895.html](http://www.freepatentsonline.com/5151895.html) - [Similar pages](#)

by G Vacon - 1992 - [Cited by 5](#) - [Related articles](#) - [All 3 versions](#)

[More results from www.freepatentsonline.com »](#)

#### 5. [EP270896 Sun european software patent - Graphics \*\*terminal\*\* for ...](#)

A true value in the **first** bit indicates that the **received** message is an interrupt .... said

**second transmission** channel comprises a fiber optic link. ...

[gauss.ffil.org/PatentView/EP270896](http://gauss.ffil.org/PatentView/EP270896) - 56k - [Cached](#) - [Similar pages](#)

#### 6. [Computer Hardware Software Architecture Patent | SLW Minnesota](#)

The current flows through a **first terminal** which is coupled to an ... The two

**transmission lines** are terminated at both ends by selected impedances. ...

[www.slwip.com/CM/RepresentativePatents/RepresentativePatents-BradleyAForrest.](http://www.slwip.com/CM/RepresentativePatents/RepresentativePatents-BradleyAForrest.asp)

[asp - 41k](#) - [Cached](#) - [Similar pages](#)

#### 7. [Penki Kontinentai](#)

POS **terminals** connect to a bank via a telephone **line** and transfer transaction data. ...

Unfortunately, **first** you have to write down the **counter** meterage. ...

[www.sci.lt/Default.asp?DL=E&TopicID=156&EditionID=12](http://www.sci.lt/Default.asp?DL=E&TopicID=156&EditionID=12) - 48k

- [Cached](#) - [Similar pages](#)

8. (WO/2003/040897) PROCESS, **TERMINAL AND SERVER** FOR CONTROLLING ...

Generally, such payment is made by a coded **transmission** from **terminal** to ... to the **second** group is surrounded exclusively by notes of the **first** group, ...

[www.wipo.int/pctdb/en/wo.jsp?lA=WO2003040897&DISPLAY=DESC](http://www.wipo.int/pctdb/en/wo.jsp?lA=WO2003040897&DISPLAY=DESC) - 30k

- [Cached](#) - [Similar pages](#)

9. [OCRed document](#)

ized by a **terminal transmission line**. In one approach, UPs establish TCP/IP .... so the **server** nodes must start up **first** in order to **receive** the connec- ...

[eeexplore.leea.org/iet2/645/6341/00276587.pdf?arnumber=276587](http://eeexplore.leea.org/iet2/645/6341/00276587.pdf?arnumber=276587) - [Similar pages](#)

by M Koizumi - 1992 - [Cited by 2](#) - [Related articles](#)

10. [MAX Diag Command Reference](#)

The system displays the **terminal-server** command-line prompt (by default, .... it sends a new frame out and increments the **receive counter** for that frame. ...

[www.chebucto.ns.ca/Chebucto/Technical/Manuals/Max/max6000/refgde/diagcmd.htm](http://www.chebucto.ns.ca/Chebucto/Technical/Manuals/Max/max6000/refgde/diagcmd.htm)

- 34k - [Cached](#) - [Similar pages](#)



first second transmission lines terminals servers received counter

Search

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#) | [Try Google Experimental](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [Privacy](#) - [About Google](#)

[Web](#) [Images](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more](#) ▼



[Sign in](#)

first second transmission lines terminals servers received counter repetition flag

[Search](#)

[Advanced Search](#)  
[Preferences](#)



**Web** Results 1 - 10 of about 5,130 for [first second transmission lines terminals servers received counter repetition flag](#). (0.37 seconds)

Did you mean: [first second transmission lines terminals servers received counter rotation flag](#)

1. [EP932161 St european software patent - Method for controlled ...](#)

e) if said **first** comparison signal (OD) has said **second** comparison value, updating  
(61) a **repetition counter** (C); applying (62) a soft-programming pulse to ...  
[gauss.flii.org/PatentView/EP932161 - 43k - Cached - Similar pages](#)

2. [EP783741 Siemens european software patent - Data transfer system ...](#)

After this, a new **counter** status is determined in the **terminal** from its old .... e) altering  
the state of the **flag** memory so that the **first** or **second** value ...  
[gauss.flii.org/PatentView/EP783741 - 63k - Cached - Similar pages](#)  
[More results from gauss.flii.org »](#)

3. [DATA REPRODUCING DEVICE, DATA REPRODUCING METHOD, AND INFORMATION ...](#)

Incidentally, in the case of  $J = E$ , data cache is not necessary so that data is  
continuously **received** from the **server**. Herein, if the **transmission line** ...  
[www.freepatentsonline.com/EP1172796.html - Similar pages](#)  
by Y Majima - 2002 - [Cited by 1](#) - [Related articles](#) - [All 8 versions](#)

4. [Transmission apparatus, transmission control program, and ...](#)

May 20, 2008 ... Conventionally, in a best-effort **transmission line** environment  
such .... This transmitted packet data is **received** by a **terminal** desiring to ...  
[www.freepatentsonline.com/7376880.html - Similar pages](#)  
by A Ichiki - 2008 - [All 3 versions](#)  
[More results from www.freepatentsonline.com »](#)

5. [\(WO/2003/077485\) MEDIA TRANSMITTING METHOD, MEDIA RECEIVING METHOD ...](#)

1A, **servers** 102 are media transmitters of the invention while **terminal** units ....  
Incidentally, the **transmission line** in the present invention may be wired ...  
[www.wipo.int/pctdb/en/wo.jsp?iA=JP2003002839&DISPLAY=DESC - 97k - Cached - Similar pages](#)

6. [ATM switch congestion control method of connection setup requests ...](#)

3 is a schematic diagram of the **receive counter** (initial state); ..... to **server terminals**  
such as file **servers** or printer **servers**, and the ports ...  
[www.patentstorm.us/patents/6212164/description.html - Similar pages](#)

7. [Network interface device, method and article of manufacture for ...](#)

In the case of an analog NID the **received** signal is **first** demodulated as .... (not  
shown) to cause the **transmission** of data or CRC, the HDLC **flag** character ...  
[www.patentstorm.us/patents/6178185/description.html - Similar pages](#)

[More results from www.patentstorm.us](#)...

8. [Channel Link Tester D.Calvet, CEA Saclay Created 17 June 2003 Last ...](#)

Each bit **line** is associated with an 8-bit saturating error **counter**. A 48-bit **counter** counts the number of 36-bit words **received**. Assuming that the tester is ...  
[www.pa.msu.edu/hep/D0/ftp/run2b/11cal/hardware/channel\\_link\\_tester/channel\\_link\\_tester.txt](#) - 51k - [Cached](#) - [Similar pages](#)

9. [PDF] [FED-STD-1037C s: Abbreviation for \*\*second\*\*, satellite emergency ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)  
**and receive** circuits have the same data signaling rate, symmetrical pair: A balanced **transmission line**, in a. multipair cable, having equal conductor ...  
[www.fra.gov.sg/glossary/S.pdf](#) - [Similar pages](#)

10. [BABEL: A Glossary of Computer Related Abbreviations and Acronyms](#)

B~K Backup (file name extension) BKSP Backspace BL Backlit + Bit **Line** BLAS .....  
LPT **Line** Printer **Terminal** LPT1 **First** Parallel Printer Port LPT2 **Second** ...  
[www.geocities.com/ikind\\_babel/babel/babel.html](#) - 235k - [Cached](#) - [Similar pages](#)

Did you mean to search for: [first second transmission lines terminals servers received counter \*\*rotation\*\* flag](#)



---

[first second transmission lines terminals servers received counter repetition flag](#)

[Search](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#) | [Try Google Experimental](#)

---

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [Privacy](#) - [About Google](#)



Web Images Maps News Shopping Gmail more ▼



Sign in

first second transmission lines terminals servers received counter repetition flag



Advanced Search

Preferences



Web Results 1 - 10 of about 4,060 for first second transmission lines terminals servers received counter repetition flag status table. (0.64 seconds)

Did you mean: first second transmission lines terminals servers received counter **rotation** flag status table

1. DATA REPRODUCING DEVICE, DATA REPRODUCING METHOD, AND INFORMATION ...

Also, in the case of reproducing the **second** data following the **first** data, ....., Herein, if the **transmission line** capacity is suddenly decreased due to a ...

[www.freepatentsonline.com/EP1172796.html](http://www.freepatentsonline.com/EP1172796.html) - [Similar pages](#)

by Y Majima - 2002 - [Cited by 1](#) - [Related articles](#) - [All 8 versions](#)

2. EP932161 St european software patent - Method for controlled ...

e) if said **first** comparison signal (OD) has said **second** comparison value, updating

(61) a **repetition counter** (C); applying (62) a soft-programming pulse to ...

[gauss.fhii.org/PatentView/EP932161-43k](http://gauss.fhii.org/PatentView/EP932161-43k) - [Cached](#) - [Similar pages](#)

3. EP783741 Siemens european software patent - Data transfer system ...

e) altering the state of the **flag** memory so that the **first** or **second** value area with the new **counter status** becomes capable of being enabled into a ...

[gauss.fhii.org/PatentView/EP783741-63k](http://gauss.fhii.org/PatentView/EP783741-63k) - [Cached](#) - [Similar pages](#)

[More results from gauss.fhii.org](#) »

4. Network interface device, method and article of manufacture for ...

In the case of an analog NID the **received** signal is **first** demodulated as .... (not shown) to cause the **transmission** of data or CRC, the HDLC **flag** character ...

[www.patenstorm.us/patents/6178185/description.html](http://www.patenstorm.us/patents/6178185/description.html) - [Similar pages](#)

5. Glossary: Words that commonly appear in Campbell Scientific documents

G: Datalogger **terminals** directly connected to the Earth Ground or Ground Lug ..... PE  
(Pin Enable): The **line** on which print devices or peripherals **receive** ...  
[www.campbellsci.com/glossary](http://www.campbellsci.com/glossary) - 73k - [Cached](#) - [Similar pages](#)

6. Channel Link Tester D.Calvet, CEA Saclay Created 17 June 2003 Last ...

Each bit **line** is associated with an 8-bit saturating error **counter**. A 48-bit **counter**  
counts the number of 36-bit words **received**. Assuming that the tester is ...  
[www.pa.msu.edu/hep/D0/ftp/run2bitcal/hardware/channel\\_link\\_tester/  
channel\\_link\\_tester.txt](http://www.pa.msu.edu/hep/D0/ftp/run2bitcal/hardware/channel_link_tester/channel_link_tester.txt) - 51k - [Cached](#) - [Similar pages](#)

7. BABEL: A Glossary of Computer Related Abbreviations and Acronyms

B-K Backup (file name extension) BKSP Backspace BL Backlit + Bit Line BLAS .....  
LPT **Line Printer Terminal** LPT1 **First** Parallel Printer Port LPT2 **Second** ...  
[www.geocities.com/ikind\\_babel/babel/babel.html](http://www.geocities.com/ikind_babel/babel/babel.html) - 238k - [Cached](#) - [Similar pages](#)

8. Forkortelser

AU Audio (file name extension) AUDIT Automated Data Input **Terminal** AUI .....  
Schottky LPT **Line Printer** LPT1 **First** Parallel Printer Port LPT2 **Second** ...  
[home.c2i.net/thensru/forkortelser.htm](http://home.c2i.net/thensru/forkortelser.htm) - 183k - [Cached](#) - [Similar pages](#)


9. BABEL: A Glossary of Computer Related Abbreviations and Acronyms

TML Template (file name extension) TMP Temporary TN Twisted Nematic TNC  
**Terminal** Node Controller TNO The Netherlands Organization ToC **Table** Of Contents  
TOD ...  
[gd.tuwienn.ac.at/study/babel-99b.htm](http://gd.tuwienn.ac.at/study/babel-99b.htm) - 198k - [Cached](#) - [Similar pages](#)

10. Systems Outline

As with the C451 **Table**, this outline can't replace the reading, ... Execution, Write 3  
Parts of Scoreboard Instruction **Status- flag** for each of four steps ...  
[www.cogsci.indiana.edu/farg/rehling/help/sysOutline.html](http://www.cogsci.indiana.edu/farg/rehling/help/sysOutline.html) - 71k  
- [Cached](#) - [Similar pages](#)

Did you mean to search for: first second transmission lines terminals servers received counter **rotation** flag status table



1 2 3 4 5 6 7 8 9 10 Next

first second transmission lines terminals servers received counter repetition flag

Search

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#) | [Try Google Experimental](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [Privacy](#) - [About Google](#)